First Aid Policy

St Luke's Primary School

Approved by:	Governing Board	**Date:** May 2021	
Last review date:	September 2025	**Next review date:** September 2028	

Contents

1. Aims 2
2. Legislation and guidance 2
3. Roles and responsibilities 3

4. First aid procedures 4
5. First aid equipment..... 5
6. Record-keeping and reporting..... 6
7. Training..... 7
8. Monitoring arrangements 7
9. Links with other policies 7
Appendix 1: Accident/Incident/Illness report form..... 9
Appendix 2: Guidance on infection control in schools and other childcare settings 10

.....

1. Aims

The aims of our first aid policy are to:

- Ensure the health and safety of all staff, pupils and visitors
- Ensure that staff and governors are aware of their responsibilities with regards to health and safety
- Provide a framework for responding to an incident and recording and reporting the outcomes

2. Legislation and guidance

This policy is based on the Statutory Framework for the Early Years Foundation Stage, advice from the Department for Education on first aid in schools and health and safety in schools, and the following legislation::

- The Health and Safety (First Aid) Regulations 1981, which state that employers must provide adequate and appropriate equipment and facilities to enable first aid to be administered to employees, and qualified first aid personnel
- The Management of Health and Safety at Work Regulations 1992, which require employers to make an assessment of the risks to the health and safety of their employees

- The Management of Health and Safety at Work Regulations 1999, which require employers to carry out risk assessments, make arrangements to implement necessary measures, and arrange for appropriate information and training
- The Reporting of Injuries, Diseases and Dangerous Occurrences Regulations (RIDDOR) 2013, which state that some accidents must be reported to the Health and Safety Executive (HSE), and set out the timeframe for this and how long records of such accidents must be kept
- Social Security (Claims and Payments) Regulations 1979, which set out rules on the retention of accident records
- The School Premises (England) Regulations 2012, which require that suitable space is provided to cater for the medical and therapy needs of pupils

3. Roles and responsibilities

3.1 Appointed person(s) and first aiders

The school's appointed Lead First Aider are responsible for:

- Taking charge when someone is injured or becomes ill
- Ensuring there is an adequate supply of medical materials in first aid kits, and replenishing the contents of these kits
- Ensuring that an ambulance or other professional medical help is summoned when appropriate

First aiders are trained and qualified to carry out the role (see section 7) and are responsible for:

- Acting as first responders to any incidents; they will assess the situation where there is an injured or ill person, and provide immediate and appropriate treatment
- Sending pupils home to recover, where necessary
- Filling in an accident report on the same day, or as soon as is reasonably practicable, after an incident (see the template in appendix 2) ensuring that what's recorded is accurate, clear and written in plain English.
- Keeping their contact details up to date

A detailed list of first aiders is kept in the school office. The names of our first aiders and their location are displayed prominently around the school.

3.2 The governing board

The governing board has ultimate responsibility for health and safety matters in the school, but delegates operational matters and day-to-day tasks to the Headteacher and staff members.

3.3 The Headteacher

The Headteacher is responsible for the implementation of this policy, including:

- Ensuring that an appropriate number of trained first aid personnel are present in the school at all times
- Ensuring that first aiders have an appropriate qualification, keep training up to date and remain competent to perform their role
- Ensuring all staff are aware of first aid procedures
- Ensuring appropriate risk assessments are completed and appropriate measures are put in place

- Ensuring that adequate space is available for catering to the medical needs of pupils
- Reporting specified incidents to the HSE when necessary (see section 6)

3.4 Staff

School staff are responsible for:

- Ensuring they follow first aid procedures
- Ensuring they know who the first aiders in school are
- Completing accident reports (see appendix 1) for all incidents they attend to where a first aider is not called
- Informing the Headteacher, Lead First Aider or a member of the SLT of any specific health conditions or first aid needs

4. First aid procedures

4.1 In-school procedures

In the event of an accident resulting in injury:

- The closest member of staff present will assess the seriousness of the injury and seek the assistance of a qualified first aider, if appropriate, who will provide the required first aid treatment
- The first aider, if called, will assess the injury and decide if further assistance is needed from a colleague or the Lead First Aider. The Lead First Aider, or a member of the SLT in her/his absence will decide if assistance needs to be sought from the emergency services. All involved will remain on scene until help arrives
- The first aider will also decide whether the injured person should be moved or placed in a recovery position
- If the Lead First Aider or member of the SLT judges that a pupil is too unwell to remain in school, parents will be contacted by a first aider and asked to collect their child. Upon their arrival, a first aider will recommend next steps to the parents
- If emergency services are called, the Lead First Aider or a member of SLT will ensure a member of staff contacts parents immediately
- The first aider that has dealt with the injury will complete an accident report form on the same day or as soon as is reasonably practical after an incident resulting in an injury ensuring that what's recorded is accurate, clear and written in plain English.
- In the event of a child incurring a head or a more serious bump or graze, the first aider on duty will contact parents to inform them of the accident and to determine whether the parent is happy for their child to continue in school or not.
- For midday supervision there is a senior first aider who is responsible for overseeing all lunchtime first aid

4.2 Off-site procedures

When taking pupils off the school premises, staff will ensure they always have the following:

- At least one mobile phone
- A portable first aid kit
- Information about the specific medical needs of pupils

- Access to contact details

Risk assessments will be completed by the trip organiser prior to any educational visit that necessitates taking pupils off school premises. These risk assessments are authorised either by the Headteacher.

There will always be at least one first aider with a current pediatric first aid certificate on school trips and visits, as required by the statutory framework for the Early Years Foundation Stage.

5. First aid equipment

A typical first aid kit in our school will include the following:

- A leaflet with general first aid advice
- Regular and large bandages
- Eye pad bandages
- Triangular bandages
- Adhesive tape
- Disposable gloves
- Antiseptic wipes
- Plasters (hypoallergenic) of assorted sizes
- Cold compresses
- Burns dressings
- Sterile Eye Wash
- Mouth Guard
- Foil Blanket
- Incident Book

No medication is kept in first aid kits.

First aid kits are stored in:

- The Medical Room
- School Office
- All classrooms
- The School Kitchen
- Swimming Pool
- School Grounds
- Community House

Defibrillator

The school has purchased a defibrillator which is located in the School Office.

6. Record-keeping and reporting

6.1 First aid and accident record book

- An accident form will be completed by the first aider on the same day or as soon as possible after an incident resulting in an injury
- As much detail as possible should be supplied when reporting an accident, including all of the information included in the accident/incident/illness form at appendix 1. What's recorded needs to be accurate, clear and written in plain English.
- The first aider will arrange for a copy of this form to be given to the parents
- Our insurers require that records held in the first aid and accident book are kept for 3 years and 3 months after the accident, before being securely disposed of, because that is the time allowed for an injured person to instruct a solicitor to serve legal proceedings. In the case of a child such records will need to be kept until they are age 21 and 3 months because this time period commences from the date that the child reaches the age of majority

6.2 Reporting to the HSE

The Headteacher will ensure that a record is kept of any accident which results in a reportable injury, disease, or dangerous occurrence as defined in the RIDDOR 2013 legislation (regulations 4, 5, 6 and 7).

The Headteacher will ensure that these are reported to the Health and Safety Executive as soon as is reasonably practicable and in any event within 10 days of the incident.

Reportable injuries, diseases or dangerous occurrences include:

- Death
- Specified injuries, which are:
    - Fractures, other than to fingers, thumbs and toes
    - Amputations
    - Any injury likely to lead to permanent loss of sight or reduction in sight
    - Any crush injury to the head or torso causing damage to the brain or internal organs
    - Serious burns (including scalding)
    - Any scalping requiring hospital treatment
    - Any loss of consciousness caused by head injury or asphyxia
    - Any other injury arising from working in an enclosed space which leads to hypothermia or heat-induced illness, or requires resuscitation or admittance to hospital for more than 24 hours
- Injuries where an employee is away from work or unable to perform their normal work duties for more than 7 consecutive days (not including the day of the incident)
- Where an accident leads to someone being taken to hospital
- Near-miss events that do not result in an injury, but could have done. Examples of near-miss events relevant to schools include, but are not limited to:
    - The collapse or failure of load-bearing parts of lifts and lifting equipment
    - The accidental release of a biological agent likely to cause severe human illness
    - The accidental release or escape of any substance that may cause a serious injury or damage to health
    - An electrical short circuit or overload causing a fire or explosion

Information on how to make a RIDDOR report is available here:

How to make a RIDDOR report, HSE
http://www.hse.gov.uk/riddor/report.htm

6.3 Notifying parents

An appropriate member of staff will inform parents of any accident or injury sustained by a pupil, and any first aid treatment given, on the same day, or as soon as reasonably practicable.

6.4 Reporting to Ofsted and child protection agencies

The Headteacher will ensure that Ofsted is notified of any serious accident, illness or injury to, or death of, a pupil while in the school's care. This will happen as soon as is reasonably practicable, and no later than 14 days after the incident.

The Headteacher will also ensure that the Multi Agency Safeguarding Hub is notified via the Child Protection Advice Line on 020 7364 5006 (option 3) of any serious accident or injury to, or the death of, a pupil while in the school's care.

7. Training

All school staff are able to undertake first aid training if they would like to, subject to course availability and budget.

All first aiders must have completed a training course, and must hold a valid certificate of competence to show this. The school will keep a register of all trained first aiders, what training they have received and when this is valid until.

Staff are encouraged to renew their first aid training when it is no longer valid.

At all times, at least 1 staff member will have a current pediatric first aid (PFA) certificate which meets the requirements set out in the Early Years Foundation Stage statutory framework and is updated at least every 3 years.

8. Monitoring arrangements

This policy will be reviewed by the Lead First Aider & Business Manager every three years. At every review, the policy will be approved by the Headteacher & Governing Board.

9. Links with other policies

This policy links to the following policies:

- Accessibility Policy
- Complaints Procedure
- Equality information and objectives
- Health and Safety Policy
- Intimate Care Policy
- Risk Assessment Policy
- Safeguarding
- SEN and Inclusion Policy
- Supporting Pupils with Medical Conditions Policy

10. Guidance on Infection Control

Posters produced by the Health Protection Agency on Guidance on Infection Control in Schools & Childcare Settings are sited throughout the school.

A copy is attached in Appendix 2.

Appendix 1: Accident/Incident/Illness report form



ACCIDENT/INCIDENT/ ILLNESS REPORT SLIP

Pupil's Name -

Date

Time

Class

Location and details of accident/incident/illness

Head Injury		Sprains/Twists		Parent/Carer Contacted	
Asthma		Nosebleed		Unable to contact Parent	
Bump/Bruise		Stomach Pains/Upset Tummy		Well enough to remain in school after First Aid	
Cut/Graze		Mouth Injury/Tooth Ache/ Loose or Missing Tooth		**IMPORTANT** Please consult your doctor or local hospital if your child suffers any drowsiness, vomiting, impaired vision or excessive pain after returning home.	
Headache/High Temperature		TLC Applied			
Vomiting/Nausea		Collected from school		Authorised Signature	

Details of Treatment and Additional Comments

To re-order Tel. 01487 823823 Fax: 01487 823898 E:sales@limetreemarketing.com www.limetreemarketing.com © Limetree

Appendix 2: Guidance on infection control in schools and other childcare settings



Guidance on infection control in schools and other childcare settings

HSC Public Health Agency

March 2017

Prevent the spread of infections by ensuring: routine immunisation, high standards of personal hygiene and practice, particularly handwashing, and maintaining a clean environment. Please contact the Public Health Agency **Health Protection Duty Room (Duty Room) on 0300 555 0119** or visit www.publichealth.hscni.net or www.gov.uk/government/organisations/public-health-england if you would like any further advice or information, including the latest guidance. Children with rashes should be considered infectious and assessed by their doctor.

Rashes and skin infections	Recommended period to be kept away from school, nursery or childminders	Comments
Athlete's foot	None	Athlete's foot is not a serious condition. Treatment is recommended
Chickenpox*	Until all vesicles have crusted over	See Vulnerable children and female staff – pregnancy
Cold sores, (herpes simplex)	None	Avoid kissing and contact with the sores. Cold sores are generally mild and self-limiting
German measles (rubella)*	Four days from onset of rash (as per "Green Book")	Preventable by immunisation (HMR x 2 doses) See Female staff – pregnancy
Hand, foot and mouth	None	Contact the Duty Room if a large number of children are affected. Exclusion may be considered in some circumstances
Impetigo	Until lesions are crusted and healed, or 48 hours after commencing antibiotic treatment	Antibiotic treatment speeds healing and reduces the infectious period
Measles*	Four days from onset of rash	Preventable by vaccination (HMR x 2). See Vulnerable children and female staff – pregnancy
Molluscum contagiosum	None	A self-limiting condition
Ringworm	Exclusion not usually required	Treatment is required
Roseola (infantum)	None	None
Scabies	Child can return after first treatment	Household and close contacts require treatment
Scarlet fever*	Child can return 24 hours after commencing appropriate antibiotic treatment	Antibiotic treatment recommended for the affected child. If more than one child has scarlet fever contact PHA Duty Room for further advice
Slapped cheek (fifth disease or parvovirus B19)	None once rash has developed	See Vulnerable children and female staff – pregnancy
Shingles	Exclude only if rash is weeping and cannot be covered	Can cause chickenpox in those who are not immune i.e. have not had chickenpox. It is spread by very close contact and touch. If further information is required, contact the Duty Room, SEE Vulnerable Children and female Staff – Pregnancy
Warts and verrucae	None	Verrucae should be covered in swimming pools, gymnasiums and changing rooms

Diarrhoea and vomiting illness	Recommended period to be kept away from school, nursery or childminders	Comments
Diarrhoea and/or vomiting	48 hours from last episode of diarrhoea or vomiting	
E.coli O157 VTEC*	Should be excluded for 48 hours from the last episode of diarrhoea	Further exclusion is required for young children under five and those who have difficulty in adhering to hygiene practices
Typhoid* [and paratyphoid*] [enteric fever]	Further exclusion may be required for some children until they are no longer excreting	Children in these categories should be excluded until there is evidence of microbiological clearance. This guidance may also apply to some contacts of cases who may require microbiological clearance
Shigella* [dysentery]		Please consult the Duty Room for further advice
Cryptosporidiosis**	Exclude for 48 hours from the last episode of diarrhoea	Exclusion from swimming is advisable for two weeks after the diarrhoea has settled

Respiratory infections	Recommended period to be kept away from school, nursery or childminders	Comments
Flu (influenza)	Until recovered	See Vulnerable children
Tuberculosis*	Always consult the Duty Room	Requires prolonged close contact for spread
Whooping cough* (pertussis)	48 hours from commencing antibiotic treatment, or 21 days from onset of illness if no antibiotic treatment	Preventable by vaccination. After treatment, non-infectious coughing may continue for many weeks. The Duty Room will organise any contact tracing necessary

Other infections	Recommended period to be kept away from school, nursery or childminders	Comments
Conjunctivitis	None	If an outbreak/cluster occurs, consult the Duty Room
Diphtheria *	Exclusion is essential. Always consult with the Duty Room	Family contacts must be excluded until cleared to return by the Duty Room. Preventable by vaccination. The Duty Room will organise any contact tracing necessary
Glandular fever	None	
Head lice	None	Treatment is recommended only in cases where live lice have been seen
Hepatitis A*	Exclude until seven days after onset of jaundice or seven days after symptom onset if no jaundice	The duty room will advise on any vaccination or other control measure that are needed for close contacts of a single case of hepatitis A and for suspected outbreaks.
Hepatitis B*, C, HIV/AIDS	None	Hepatitis B and C and HIV are bloodborne viruses that are not infectious through casual contact. For cleaning of body fluid spills SEE Good Hygiene Practice
Meningococcal meningitis*/ septicaemia*	Until recovered	Some forms of meningococcal disease are preventable by vaccination (see immunisation schedule). There is no reason to exclude siblings or other close contacts of a case. In case of an outbreak, it may be necessary to provide antibiotics with or without meningococcal vaccination to close contacts. The Duty Room will advise on any action needed
Meningitis* due to other bacteria	Until recovered	Hib and pneumococcal meningitis are preventable by vaccination. There is no reason to exclude siblings or other close contacts of a case. The Duty Room will give advice on any action needed
Meningitis viral*	None	Milder illness. There is no reason to exclude siblings and other close contacts of a case. Contact tracing is not required
MRSA	None	Good hygiene, in particular handwashing and environmental cleaning, are important to minimise any danger of spread if further information is required, contact the Duty Room
Mumps*	Exclude child for five days after onset of swelling	Preventable by vaccination (MMR x 2 doses)
Threadworms	None	Treatment is recommended for the child and household contacts
Tonsillitis	None	There are many causes, but most cases are due to viruses and do not need an antibiotic

* **denotes a notifiable disease.** It is a statutory requirement that doctors report a notifiable disease to the Director of Public Health via the Duty Room.

Outbreaks: If a school, nursery or childminder suspects an outbreak of infectious illness, they should inform the Duty Room.

Good hygiene practice

Handwashing is one of the most important ways of controlling the spread of infections, especially those that cause diarrhoea and vomiting, and respiratory disease. The recommended method is the use of liquid soap, warm water and paper towels. Always wash hands after using the toilet, before eating or handling food, and after handling animals. Cover all cuts and abrasions with waterproof dressings.

Coughing and sneezing easily spread infections. Children and adults should be encouraged to cover their mouth and nose with a tissue. Wash hands after using or disposing of tissues. Spitting should be discouraged.

Personal protective equipment (PPE). Disposable non-powdered vinyl or latex-free CE-marked gloves and disposable plastic aprons must be worn where there is a risk of splashing or contamination with blood/body fluids (for example, nappy or pad changing). Goggles should also be available for use if there is a risk of splashing to the face. Correct PPE should be used when handling cleaning chemicals.

Cleaning of the environment, including toys and equipment, should be frequent, thorough and follow national guidance. For example, use colour-coded equipment, follow Control of Substances Hazardous to Health (COSHH) regulations and correct decontamination of cleaning equipment. Maximise cleaning contracts and ensure cleaners are appropriately trained with access to PPE.

Cleaning of blood and body fluid spillages. All spillages of blood, faeces, saliva, vomit, nasal and eye discharges should be cleaned up immediately (always wear PPE). When spillages occur, clean using a product that contains both a detergent and a disinfectant. Use as per manufacturer's instructions and ensure it is effective against bacteria and viruses and suitable for use on the affected surface. Never use mops for cleaning up blood and body fluid spillages – use disposable paper towels and discard clinical waste as described below. A spillage kit should be available for blood spills.

Laundry should be dealt with in a separate dedicated facility. Soiled linen should be washed separately at the hottest wash the fabric will tolerate. Wear PPE when handling soiled linen. Children's soiled clothing should be bagged to go home, never rinsed by hand.

Clinical waste. Always segregate domestic and clinical waste, in accordance with local policy. Used nappies/pads, gloves, aprons and soiled dressings should be stored in correct clinical waste bags in foot-operated bins. All clinical waste must be removed by a registered waste contractor. All clinical waste bags should be less than two-thirds full and stored in a dedicated, secure area while awaiting collection.

Sharps, eg needles, should be discarded straight into a sharps bin conforming to BS 7320 and UN 3291 standards. Sharps bins must be kept off the floor (preferably wall-mounted) and out of reach of children.

Sharps injuries and bites

If skin is broken as a result of a used needle injury or bite, encourage the wound to bleed/wash thoroughly using soap and water. Contact GP or occupational health or go to A&E immediately. Ensure local policy is in place for staff to follow. Contact the Duty Room for advice, if unsure.

Animals

Animals may carry infections, so wash hands after handling animals. Health and Safety Executive for Northern Ireland (HSENI) guidelines for protecting the health and safety of children should be followed.

Animals in school (permanent or visiting). Ensure animals' living quarters are kept clean and away from food areas. Waste should be disposed of regularly, and litter boxes not accessible to children. Children should not play with animals unsupervised. Hand hygiene should be supervised after contact with animals and the area where visiting animals have been kept should be thoroughly cleaned after use. Veterinary advice should be sought on animal welfare and animal health issues and the suitability of the animal as a pet. Reptiles are not suitable as pets in schools and nurseries, as all species carry salmonella.

Visits to farms. For more information see https://www.hseni.gov.uk/publications/preventing-ill-health-animal-contact-visitor-attractions

Vulnerable children

Some medical conditions make children vulnerable to infections that would rarely be serious in most children, these include those being treated for leukaemia or other cancers, on high doses of steroids and with conditions that seriously reduce immunity. Schools and nurseries and childminders will normally have been made aware of such children. These children are particularly vulnerable to chickenpox, measles and parvovirus B19 and, if exposed to either of these, the parent/carer should be informed promptly and further medical advice sought. It may be advisable for these children to have additional immunisations, for example pneumococcal and influenza. This guidance is designed to give general advice to schools and childcare settings. Some vulnerable children may need further precautions to be taken, which should be discussed with the parent, or carer in conjunction with their medical team and school health.

Female staff* – pregnancy

If a pregnant woman develops a rash or it is direct contact with someone with a potentially infectious rash, this should be investigated by a doctor who can contact the duty room for further advice. The greatest risk to pregnant women from such infections comes from their own child/children, rather than the workplace.

- Chickenpox can affect the pregnancy if a woman has not already had the infection. Report exposure to midwife and GP at any stage of pregnancy. The GP and antenatal carer will arrange a blood test to check for immunity. Shingles is caused by the same virus as chickenpox, so anyone who has not had chickenpox is potentially vulnerable to the infection if they have close contact with a case of shingles.
- German measles (rubella). If a pregnant woman comes into contact with german measles she should inform her GP and antenatal carer immediately to ensure investigation. The infection may affect the developing baby if the woman is not immune and is exposed in early pregnancy.
- Slapped cheek disease (fifth disease or parvovirus B19) can occasionally affect an unborn child. If exposed early in pregnancy (before 20 weeks), inform whoever is giving antenatal care as this must be investigated promptly.
- Measles during pregnancy can result in early delivery or even loss of the baby. If a pregnant woman is exposed she should immediately inform whoever is giving antenatal care to ensure investigation.
- All female staff born after 1970 working with young children are advised to ensure they have had two doses of MMR vaccine.

*The above advice also applies to pregnant students.

Immunisations

Immunisation status should always be checked at school entry and at the time of any vaccination. Parents should be encouraged to have their child immunised and any immunisation missed or further catch-up doses organised through the child's GP.

For the most up-to-date immunisation advice and current schedule visit www.publichealth.hscni.net or the school health service can advise on the latest national immunisation schedule.

When to immunise	Disease vaccine protects against	How it is given
2 months old	Diphtheria, tetanus, pertussis (whooping cough), polio and Hib	One injection
	Pneumococcal infection	One injection
	Rotavirus	Orally
	Meningococcal B infection	One injection
3 months old	Diphtheria, tetanus, pertussis, polio and Hib	One injection
	Rotavirus	Orally
4 months old	Diphtheria, tetanus, pertussis, polio and Hib	One injection
	Pneumococcal infection	One injection
	Meningococcal B infection	One injection
Just after the first birthday	Measles, mumps and rubella	One injection
	Pneumococcal infection	One injection
	Hib and meningococcal C infection	One injection
	Meningococcal B infection	One injection
Every year from 2 years old up to 17	Influenza	Nasal spray or injection
3 years and 4 months old	Diphtheria, tetanus, pertussis and polio	One injection
	Measles, mumps and rubella	One injection
Girls 12 to 13 years old	Cervical cancer caused by human papillomavirus types 16 and 18 and genital warts caused by types 6 and 11	Two injections over six months
14 to 18 years old	Tetanus, diphtheria and polio	One injection
	Meningococcal infection ACWY	One injection

This is the Immunisation Schedule as of July 2016. Children who present with certain risk factors may require additional immunisations. Always consult the most updated version of the "Green Book" for the latest immunisation schedule on www.gov.uk/government/collections/immunisation-against-infectious-disease-the-green-book#the-green-book.

From October 2017 children will receive hepatitis B vaccine at 2, 3, and 4 months of age in combination with the diphtheria, tetanus, pertussis, polio and Hib vaccine.

Staff immunisations. All staff should undergo a full occupational health check prior to employment; this includes ensuring they are up to date with immunisations, including two doses of MMR.

Original material was produced by the Health Protection Agency and this version adapted by the Public Health Agency.
12-22 Linenhall Street, Belfast, BT2 8BS.
Tel: 0300 555 0114.
www.publichealth.hscni.net
Information produced with the assistance of the Royal College of Paediatrics and Child Health and Public Health England.